DIGE

DAZZLING SLIM SERIES

DX-DE SERIES SLIM DRAWER

Integrated drawer with humanized design,
provides convenient life for you.

DX Series Slim Drawer

DX1-DE-63 (Side height: 91.5mm)

H=DX1(91.5mm)			Finishes: Dark grey (D), Charcoal (GS), Matt white (DW)
Nominal length	Soft-closing drawer Item No.	Push-open drawer Item No.	Syn Push-open drawer Item No.
270mm	TC301-270DX1	TC301DE7-270DX1	TC301DE7S-270DX1
300mm	TC301-300DX1	TC301DE7-300DX1	TC301DE7S-300DX1
350mm	TC301-350DX1	TC301DE7-350DX1	TC301DE7S-350DX1
400mm	TC301-400DX1	TC301DE7-400DX1	TC301DE7S-400DX1
450mm	TC301-450DX1	TC301DE7-450DX1	TC301DE7S-450DX1
500mm	TC301-500DX1	TC301DE7-500DX1	TC301DE7S-500DX1
550mm	TC301-550DX1	TC301DE7-550DX1	TC301DE7S-550DX1



① Full extension Synchronized drawer runner (left/right)

Soft-closing drawer Item No.: TC-GD/500DE

Push-open drawer Item No.: TC-GD/500DE7

Synchronize Push-open drawer : TC-GD/500DE7S

Nominal length: 270/300/350/400/450/500/550



② Drawer side (left/right)

Item No.: TC-DS/500DX1

Nominal length:270/300/350/400/450/500/550

Finishes: Dark grey (D), Charcoal (GS), Matt white (DW)



Push open synchronization cross-bar (optional)



③ Front fixing bracket(optional)

Screw-on front fixing bracket, A Item No.: TCF-H/X

Expandable-doweled front fixing bracket, B Item No.: TCF-HFT/X

④ Push open synchronization cross-bar (optional)

Item No.: TC/AL-E7SN-1200

Cutting dimensions: LW-168(mm)

Space required

NL=Nominal length
LT=Internal cabinet depth
LW=Internal cabinet width



Reminder Please see Page C05-C07 for detailed installation information

Runner installation dimensions



Nominal length NL:270/300/350/400/450/500/550

DX Series Slim Drawer

DX2-DE-101 (Side height: 129.5mm)

H=DX2(129.5mm)			Finishes: Dark grey (D), Charcoal (GS), Matt white (DW)
Nominal length	Soft-closing drawer Item No.	Push-open drawer Item No.	Syn Push-open drawer Item No.
270mm	TC301-270DX2	TC301DE7-270DX2	TC301DE7S-270DX2
300mm	TC301-300DX2	TC301DE7-300DX2	TC301DE7S-300DX2
350mm	TC301-350DX2	TC301DE7-350DX2	TC301DE7S-350DX2
400mm	TC301-400DX2	TC301DE7-400DX2	TC301DE7S-400DX2
450mm	TC301-450DX2	TC301DE7-450DX2	TC301DE7S-450DX2
500mm	TC301-500DX2	TC301DE7-500DX2	TC301DE7S-500DX2
550mm	TC301-550DX2	TC301DE7-550DX2	TC301DE7S-550DX2



① Full extension Synchronized drawer runner (left/right)
Soft-closing Item No.: TC-GD/500DE
Push-open Item No.: TC-GD/500DE7
Synchronize Push-open Item No. : TC-GD/500DE7S
Nominal length: 270/300/350/400/450/500/550



② Drawer side (left/right)
Item No.: TC-DS/500DX2
Nominal length:270/300/350/400/450/500/550
Finishes: Dark grey (D), Charcoal (GS), Matt white (DW)



Push open synchronization cross-bar (optional)



③ Front fixing bracket(optional)
Screw-on front fixing bracket ,A Item No.: TCF-H/X
Expandable-doweled front fixing bracket ,B Item No.: TCF-HFT/X

④ Push open synchronization cross-bar (optional)
Item No.: TC/AL-E7SN-1200
Cutting dimensions: LW-168(mm)

Space required

NL=Nominal length
LT=Internal cabinet depth
LW=Internal cabinet width



Reminder Please see Page C05-C07 for detailed installation information

Runner installation dimensions



Nominal length NL:270/300/350/400/450/500/550

DX Series Slim Drawer

DX3-DE-148 (Side height: 176.5mm)

H=DX3(176.5mm)			Finishes: Dark grey (D), Charcoal (GS), Matt white (DW)
Nominal length	Soft-closing drawer Item No.	Push-open drawer Item No.	Syn Push-open drawer Item No.
270mm	TC301-270DX3	TC301DE7-270DX3	TC301DE7S-270DX3
300mm	TC301-300DX3	TC301DE7-300DX3	TC301DE7S-300DX3
350mm	TC301-350DX3	TC301DE7-350DX3	TC301DE7S-350DX3
400mm	TC301-400DX3	TC301DE7-400DX3	TC301DE7S-400DX3
450mm	TC301-450DX3	TC301DE7-450DX3	TC301DE7S-450DX3
500mm	TC301-500DX3	TC301DE7-500DX3	TC301DE7S-500DX3
550mm	TC301-550DX3	TC301DE7-550DX3	TC301DE7S-550DX3



① Full extension Synchronized drawer runner (left/right)
Soft-closing Item No.: TC-GD/500DE
Push-open Item No.: TC-GD/500DE7
Synchronize Push-open Item No. : TC-GD/500DE7S
Nominal length: 270/300/350/400/450/500/550



② Drawer side (left/right)
Item No.: TC-DS/500DX3
Nominal length:270/300/350/400/450/500/550
Finishes: Dark grey (D), Charcoal (GS), Matt white (DW)



Push open synchronization cross-bar (optional)

③ Front fixing bracket (optional)
Screw-on front fixing bracket ,A Item No.: TCF-H/X3
Expandable-doweled front fixing bracket ,B Item No.: TCF-HFT/X3

④ Push open synchronization cross-bar (optional)
Item No.: TC/AL-E7SN-1200
Cutting dimensions: LW-168(mm)

Space required

NL=Nominal length
LT=Internal cabinet depth
LW=Internal cabinet width



Reminder Please see Page C05-C07 for detailed installation information

Runner installation dimensions



Nominal length NL:270/300/350/400/450/500/550

INSTALLATION PARAMETERS

DX1-DE-63 Specification (Side height: 91.5mm)

Space required in cabinet



Front fixing bracket dimensions



Drilling dimensions



Drawer Back installation dimensions



Panel dimensions (mm)

Drawer base



NL=Nominal length
LW=Internal cabinet width

Drawer back



DX2-DE-101 Specification (Side height: 129.5mm)

Space required in cabinet



Front fixing bracket dimensions



Drilling dimensions



Drawer Back installation dimensions



Panel dimensions (mm)

Drawer base



NL=Nominal length
LW=Internal cabinet width

Drawer back



DX3-DE-148 Specification (Side height: 176.5mm)

Space required in cabinet



Front fixing bracket dimensions



Drilling dimensions



Drawer Back installation dimensions



Panel dimensions (mm)

Drawer base



NL=Nominal length
LW=Internal cabinet width

Drawer back



INSTALLATION PARAMETERS

Drawer assembly

Drawer front assembly



Tighten screws after installed drawer front



Drawer front removal



①Loosen fixiing-screw ②Turn backward to remove drawer front



Drawer front height adjustment: ±2mm



Drawer front side adjustment: 1mm to the right



Drawer front side adjustment: 1mm to the left



Drawer assembly







Drawer assembly